INORGANICA CHIMICA ACTA VOLUME 212, NUMBERS 1–2, OCTOBER 1993

Contents

Preliminary Communication

Tetrahedrane cluster and phosphorus ligand activation in the reaction between $PhCCo_3(CO)_9$ and 2,3-bis(diphenylphosphino)maleic anhydride. Molecular structure of $Co_3(CO)_6(\mu_2\text{-}\eta^2\text{-}\eta^1\text{-}\overbrace{C(Ph)C{=}C(PPh_2)C(O)OC(O)})(\mu_2\text{-}PPh_2)$ 1
K. Yang, J.M. Smith, S.G. Bott and M.G. Richmond (Denton, TX, USA)

Articles

Size and shape of molecular ions and their relevance to the packing of the 'soft salts' 5
A.L. Rohl and D.M.P. Mingos (Oxford, UK)

Iron(II) and sulfate binding by the binucleating ligands O-BISDIEN, O-BISTREN and O-BISBAMP 15
R.J. Motekaitis, W.B. Utley and A.E. Martell (College Station, TX, USA)

Reactions of the electron-rich triply bonded dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2$ (X = Cl, Br) with dioxygen. Part II. The synthesis and structural characterization of the complexes $ReOCl_3(dppmO)$ ($dppmO = Ph_2PCH_2P(O)Ph_2$) and $Re_2(\mu\text{-}O)Cl_6(\mu\text{-dppm})_2$ 23
K.-Y. Shih, P.E. Fanwick and R.A. Walton (West Lafayette, IN, USA)

Halide derivatives of palladium–gold cluster compounds. X-ray crystal and molecular structure of $(I)Pd(AuPPh_3)_7(AuI)_2$ 31
K.L. Craighead, A.M.P. Felicissimo, D.A. Krogstad, L.T.J. Nelson and L.H. Pignolet (Minneapolis, MN, USA)

A reinvestigation of isomerism in the Dawson structure: syntheses and ^{183}W NMR structural characterization of three new polyoxotungstates $[X_2W_{18}O_{62}]^{6-}$ ($X = P^V$, As^V) 41
R. Contant and R. Thouvenot (Paris, France)

Synthesis and reactivity of 1,1,2,2-tetraphenyl 1,2-digermyldilithium 51
A. Castel, P. Rivière, J. Satgé, D. Desor, M. Ahbala and C. Abdenadher (Toulouse, France)

Metal cluster topology
14. Fusion of octahedra in metal carbonyl clusters 57
R.B. King (Athens, GA, USA)

A polymeric tetraimine Schiff base macrocyclic complex of silver(I) 65
H. Adams, N.A. Bailey, D.E. Fenton and Y.-S. Ho (Sheffield, UK)

Interpretation of the ν(CO) vibrational spectra of cluster compounds: $Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-}C_6H_6)$ 69
S.F.A. Kettle (Norwich, UK), R. Rossetti, P.L. Stanghellini (Turin, Italy) and B.F.G. Johnson (Edinburgh, UK)

Interpretation of the ν(CO) vibrational spectra of cluster compounds: tetrahedral anions $[Fe_2Ir_2(CO)_{12}]^{2-}$, $[HFe_2Ir_2(CO)_{12}]^-$ and $[FeIr_3(CO)_{12}]$ 75
S.F.A. Kettle (Norwich, UK), E. Diana, P.L. Stanghellini (Turin, Italy) and R. Della Pergola (Milan, Italy)

Reaction of NO with $Cp^*_3Co_3(\mu\text{-}H)_4$ preserves the tricobalt cluster and produces $Cp^*_3Co_3(\mu_3\text{-}NO)_2$ 81
C.P. Casey, R.A. Widenhoefer and R.K. Hayashi (Madison, WI, USA)

Molecular structure and magnetic properties of copper(II), manganese(II) and iron(II) croconate tri-hydrate 87
A. Cornia, A.C. Fabretti, A. Giusti (Modena, Italy), F. Ferraro and D. Gatteschi (Florence, Italy)

Preparation of the new species $[W_3(\mu_3\text{-}O)(\mu\text{-}Cl)_2(\mu\text{-}O_2CMe)_4Cl_3]^-$ and $[Mo_3(\mu_3\text{-}O)(\mu\text{-}Cl)_4(\mu\text{-}O_2CMe)_2Cl_2(PMe_3)_2]^-$ that bracket, structurally, the very common $M_3(\mu_3\text{-}O)(\mu\text{-}X)_3(\mu\text{-}O_2CR_3)_3L_3$ type of cluster compound 95
F.A. Cotton, M. Shang and Z.S. Sun (College Station, TX, USA)

Pentafluorophenyl trinuclear $[Pt_2Hg]$ and hexanuclear $[Pt_4Hg_2]$ anionic complexes containing unbridged Pt–Hg bonds and OH bridges 105
R. Usón, J. Forniés, L.R. Falvello, I. Ara and I. Usón (Saragossa, Spain)

Structure and magnetic properties of a *syn–anti* carboxylate bridged linear trinuclear copper(II) complex with ferromagnetic exchange interaction 115
E. Colacio, J.M. Dominguez-Vera (Granada, Spain), R. Kivekäs (Helsinki, Finland), J.M. Moreno (Granada, Spain), A. Romerosa (Almeria, Spain) and J. Ruiz (Granada, Spain)

Further considerations on the structure and bonding in edge-sharing bioctahedral complexes 123
R. Poli and R.C. Torralba (College Park, MD, USA)

Elsevier Sequoia

Formation of a high valent di-μ-oxo manganese dimer in aqueous solution 135
R. Manchanda, G.W. Brudvig, R.H. Crabtree (New Haven, CT, USA), J.E. Sarneski and M. Didiuk (Fairfield, CT, USA)

Retention of dinitrogen in the reactions of some diazoalkanes with a dirhodium complex. Crystal and molecular structures of $(\eta\text{-}C_5H_5)_2Rh_2\{CF_3C_2CF_3\cdot CO\cdot N_2CRR'\}$, RR′ = MePh and $(t\text{-}Bu)_2$. 139
R.S. Dickson, G.D. Fallon, B.C. Greaves (Clayton, Vic., Australia), B.W. Skelton and A.H. White (Nedlands, WA, Australia)

Palladium–thallium interactions in dinuclear complexes with structural components that place the two metal centers in close proximity 149
A.L. Balch, B.J. Davis, E.Y. Fung and M.M. Olmstead (Davis, CA, USA)

Dirhenium complexes of the tripodal phosphine $CH_3C(CH_2PPh_2)_3$ (triphos). The isolation and characterization of the confacial bioctahedral species $[(triphos)Re(\mu\text{-}X)_3Re(triphos)]^{n+}$ ($n = 1$ or 0) 157
M.T. Costello, P.W. Schrier, P.E. Fanwick and R.A. Walton (West Lafayette, IN, USA)

A chain copolymer from $WCl_2(PMe_2Ph)_4$ and $[TlOCH_2CF_3]_4$ 165
H. Rothfuss, K. Folting and K.G. Caulton (Bloomington, IN, USA)

Substitution of methanol-d_4 for the coordinated water in the trinuclear complexes, $[M_3(\mu_3\text{-}O)(\mu\text{-}CH_3COO)_6(H_2O)_3]^+$ ($M_3 = Ru_3$, Rh_3 or Ru_2Rh) in methanol-d_4. 175
Y. Sasaki (Sapporo, Japan), A. Nagasawa (Urawa, Japan), A. Tokiwa-Yamamoto and T. Ito (Sendai, Japan)

Dinuclear nickel(II) complexes of a series of dinucleating macrocycles with similar or dissimilar coordination sites: synthesis, structure and physicochemical property 183
Y. Aratake, M. Ohba, H. Sakiyama (Fukuoka, Japan), M. Tadokoro (Okazaki, Japan), N. Matsumoto and H. Ōkawa (Fukuoka, Japan)

Binding modes of cyanide at trinuclear clusters. Crystal structure of $[Pt_3(\mu_3\text{-}CO)(CN)(dppm)_3][PF_6]$ 191
M.C. Jennings, R.J. Puddephatt (London, Ont., Canada), Lj. Manojlović-Muir, K.W. Muir and B.N. Mwariri (Glasgow, UK)

Hydrothermal syntheses and structures of reduced and mixed valence polyoxovanadium clusters with capped cage cores: $K_3[H_{12}(AsO)_2(AsO_4)V_6^{IV}V_6^{V}O_{36}]\cdot 12H_2O$ and $Rb_5[(As_2O)_4(VO)_2V_{12}^{IV}O_{36}Cl]\cdot 2H_2O$. 199
M.I. Khan, Q. Chen and J. Zubieta (Syracuse, NY, USA)

A bis(μ-isocyanide diiron) complex as chelating ligand towards iron(II), palladium(II), zinc(II) and cadmium(II). X-ray structural assessment of a novel isocyanide bridging mode. 207
W.P. Fehlhammer, S. Schrölkamp and W. Sperber (Berlin, Germany)

Clusters in the step-by-step growth of solids 219
M.L. Steigerwald, S.M. Stuczynski, Y.-U. Kwon, D.A. Vennos and J.G. Brennan (Murray Hill, NJ, USA)

Polyethylene glycol complexation of Cd^{2+}. Structures of triethylene glycol complexes of $CdCl_2$, $CdBr_2$ and CdI_2. . . . 225
R.D. Rogers, A.H. Bond, S. Aguinaga and A. Reyes (DeKalb, IL, USA)

New insights into the constitution of solutions containing labile, polynuclear compounds: an electrospray mass spectrometric study of mercury- and cadmium-rich dithiocarbamato cations 233
A.M. Bond, R. Colton, J.C. Traeger (Bundoora, Vic., Australia) and J. Harvey (Parkville, Vic., Australia)

Synthesis, structure and magnetism of a tetranuclear Fe(III) complex containing an $[Fe_4(\mu_3\text{-}O)_2]^{8+}$ core. 241
P. Chaudhuri, M. Winter (Bochum, Germany), P. Fleischhauer, W. Haase (Darmstadt, Germany), U. Flörke and H.-J. Haupt (Paderborn, Germany)

Syntheses and characterization of cubane-type clusters, $[Mo_4S_4(edta)_2]^{n-}$ ($n = 2$–4), $[Mo_4S_4(H_2O)_{12}]^{n+}$ ($n = 4$–6) and $[Mo_4S_4(NH_3)_{12}]^{4+}$. X-ray structures of $Na_2[Mo_4S_4(edta)_2]\cdot 6H_2O$, $Ca_{1.5}[Mo_4S_4(edta)_2]\cdot 13H_2O$, $Mg_2[Mo_4S_4(edta)_2]\cdot 20H_2O$, $[Mo_4S_4(H_2O)_{12}](CH_3C_6H_4SO_3)_5\cdot 14H_2O$ and $[Mo_4S_4(NH_3)_{12}]Cl_4\cdot 7H_2O$ 251
T. Shibahara, H. Kuroya, H. Akashi (Okayama, Japan), K. Matsumoto and S. Ooi (Osaka, Japan)

Synthesis and ^{31}P and ^{195}Pt NMR characterisation of the first binuclear platinum(I) complex $[Pt_2Cl_2(\mu\text{-}dppm)_2(\mu\text{-}Bu^tCP)]$ containing a μ-parallel ligated phospha-alkyne 265
S.I. Al-Resayes and J.F. Nixon (Brighton, UK)

Structures and magnetic properties of Co(II)Cu(II) and Ni(II)Cu(II) compounds incorporating the obp = oxamidobis(*N*,*N*′-propionato) ligand 271
A. Gulbrandsen, J. Sletten (Bergen, Norway), K. Nakatani, Y. Pei and O. Kahn (Orsay, France)

Structural and magnetic characterization of an adamantane-like complex ion of chromium(III) and 1,3,5-triaminocyclohexane, $[Cr_4(tach)_4(OH)_6]$ 281
J. Glerup, H. Weihe (Copenhagen, Denmark), P.A. Goodson and D.J. Hodgson (Laramie, WY, USA)

Synthesis, characterization, crystal structures and magnetic properties of di- and polynuclear bis(μ-3-pyridin-2-yl-1,2,4-triazolato)copper(II) compounds containing *N*-methylimidazole, pyrazole or 4,4′-bipyridine as co-ligands 289
P.M. Slangen, P.J. van Koningsbruggen, J.G. Haasnoot, J. Jansen, S. Gorter, J. Reedijk (Leiden, Netherlands), H. Kooijman, W.J.J. Smeets and A.L. Spek (Utrecht, Netherlands)

Selective substitution and oxidative addition reactions at the iridium vertex in $[Re_7C(CO)_{21}Ir(C_8H_{14})(CO)]^{2-}$ and related clusters 303
L. Ma and J.R. Shapley (Urbana, IL, USA)

Electrochemical behaviour of tropone diiron pentacarbonyl complexes, $Fe_2(CO)_5[(RC_2R)_3CO]$ (R = Me, Et, n-Pr). Formation of a carbon–carbon bond upon reduction 311
D. Osella, R. Gobetto, L. Milone, C. Nervi, M. Ravera, E. Stein (Turin, Italy), P. Zanello and F. Laschi (Siena, Italy)

Borane cluster photochemistry
2. Photochemical alcoholysis of the octahydrotriborate(1−) anion 317
C.M. Davis and J.T. Spencer (Syracuse, NY, USA)

Reaction of unsymmetrical thioalkynes R–C≡C–SC_2H_5, R = CH_3, C_6H_5, with iron and ruthenium carbonyls. How to build a polynuclear compound using the C–S cleavage 323
S. Jeannin, Y. Jeannin and C. Rosenberger (Paris, France)

Note

Synthesis, characterization, and X-ray crystal structure of a trimetallic diporphyrin complex 337
L.K. Woo, M.R. Maurya, R.A. Jacobson and S.L. Ringrose (Ames, IA, USA)

Author Index of Volume 212 341

Subject Index of Volume 212 343